Panasonic

AFP0RE32P | FP0R Expansion units



※Photo may vary from

Product Number	AFP0RE32P
Part Number	AFP0RE32P
Product	FP0R Expansion unit
Product name	FP0R Expansion units

Spec Detail

As of September 04, 2023 Specifications and design of the products are subject to change without notice for the product improvement.

Item **Specifications**

AFP0RE32P Product Number AFP0RE32P Part Number

[[Input specifications]]Rated input

24 V DC

[[Input specifications]]Applied voltage

21.6 to 26.4 V DC

[[Input specifications]]Rated input

4.7 mA approx. (at 24 V DC)

[[Input specifications]]Input

impedance

5.1 kΩ approx.

[[Input specifications]]Min. ON voltage/ON current

19.2 V / 2 mA

[[Input specifications]]Max. OFF

voltage/OFF current

2.4 V / 1.2 mA

[[Input specifications]]Response time : $\mathsf{OFF} {\to} \mathsf{ON}$

2 ms or less

[[Input specifications]]Response time :

Same as above

[[Input specifications]]Insulation

method

Photocoupler

[[Input specifications]]Remark

Since the response time of X0 to X7 is very fast (for high-speed counter input) the FPO happens to chattering noise as an input signal. To prevent this, it is recommended that the timer should be put in the ladder program.

[[Output specifications]]Output type

Open collector

[[Output specifications]]Rated load voltage

24 V DC

[[Output specifications]]Load voltage

21.6 to 26.4 V DC

[[Output specifications]]Max. load

current

0.3 A / point (Max. 14 per common terminal)

[[Output specifications]]OFF state leakage current

1 μA or less

[[Output specifications]]ON state voltage drop

0.2 V DC or less

[[Output specifications]]Response time : OFF→ON

1 ms or less

[[Output specifications]]Response time : $ON \rightarrow OFF$

1 ms or less

[[Output specifications]]External power supply : Voltage

21.6 to 26.4 V DC

[[Output specifications]]External power supply : Current

70 mA or less

[[Output specifications]]Surge absorber

Zener diode

[[Output specifications]]Output points per common

16 points / common

[[Output specifications]]Insulation method

Photocoupler

Accessories

No image		N
Product Number	AFP0521	Pi N

Part Number AFP0521 Product I/O cable name

Product AFP0523 lumber AFP0523 Part Number Product I/O cable name

Product Number	AFP0581
Part Number	AFP0581
Product name	Power cable

Product Number	AFP0803
Part Number	AFP0803
Product name	Mounting plate

Product AFP0804 Number AFP0804 Part Number Product Mounting plate name

Product Number	AFP0807
Part Number	AFP0807
Product name	Wire-press socket





Product



Product Number	AFP0811
Part Number	AFP0811
Product name	Mounting plate

Number	AFPX-EFP0
Part Number	AFPX-EFP0
Product	Expansion FP0 Adapter
Product name	Expansion FP0 Adapter

AFPX-EFP0

Product Number	DSP2a-DC12V
Part Number	AGP2023
Product name	DS Power Relays

(Without relay type)







DSP2a-DC24V	
AGP2024	
DS Power Relays	

Product Number	AXY52000FP	Product Number	RT3BB
Part Number	AXY52000FP	Part Number	AY30000
Product	Pressure contact tool	Product	4-point Terminal (Without relay type)
Details	Multi-wire connector pressure contact tool	Details	4-point Terminal, 12, 24V DC
Product name	Pressure contact tool	Product	RT-3 UNIT RELAY (PA-N relay type) /4-POINT TERMINAL







Product Number	RT3SP1-12V	Product Number	RT3SP1-24V	Product Number	RT3SP2-12V
Part Number	AY34001	Part Number	AY34002	Part Number	AY35001
Product	RT-3 Unit relay (PhotoMOS Power type)	Product	RT-3 Unit relay (PhotoMOS Power type)	Product	RT-3 Unit relay (PhotoMOS Power type)
Details	Only for DC use. 12V DC type	Details	Only for DC use. 24V DC type	Details	AC/DC dual use. 12V DC type
Product name	RT-3 UNIT RELAY (PhotoMOS Power type) /4-POINT TERMINAL (Without relay type)	Product name	RT-3 UNIT RELAY (PhotoMOS Power type) /4-POINT TERMINAL (Without relay type)	Product name	RT-3 UNIT RELAY (PhotoMOS Power type) /4-POINT TERMINAL (Without relay type)
		Why .		Le la company de	
Product	RT3SP2-24V	Product	AY3802	Product	AY3803

Product Number	RT3SP2-24V	Product Number	AY3802	Product Number	AY3803
Part Number	AY35002	Part Number	AY3802		AY3803
Product	Product RT-3 Unit relay (PhotoMOS Power type) Details AC/DC dual use. 24V DC type	Product	Short circuit plate	Product	Short circuit plate
		Details	For RT-3 Unit relay, With insulator	Details	For RT-3 Unit relay, Without insulator
Details					
Product name	RT-3 UNIT RELAY (PhotoMOS Power type) /4-POINT TERMINAL (Without relay type)	Product name	Short circuit plate	Product name	Short circuit plate

[©] Panasonic Industry Co., Ltd.